

CLAIMS

Please amend the claims as follows. Applicant respectfully reserves the right to prosecute any originally presented or canceled claims in a continuing or future application.

1. (Currently Amended) A method for retrieving and viewing webpages in a single web browser instance operating on a user's computer, comprising the sequential steps of:

submitting, from said web browser, a search request to an Internet search engine located on the Internet;

receiving a ~~rank-ordered~~ hyperlink list from said search engine, said hyperlink list having been automatically rank-ordered by said search engine, to form a queue of rank-ordered hyperlinks;

automatically loading a plurality of webpages referred to by said queue of rank-ordered hyperlinks to form a rank-ordered queue of webpages stored on the user's computer; and

viewing said webpages in the single web browser instance.

2. (Previously Presented) The method of claim 1 where said loading is accomplished by preloading a selectable number of webpages pointed to by a selectable number of hyperlinks in the queue of hyperlinks.

3-5. (Canceled)

6. (Previously Presented) The method of claim 1 where said loading is further accomplished by concurrently preloading a predetermined number of webpages pointed to by hyperlinks in the queue of hyperlinks.

7. (Original) The method of claim 1 where said loading is accomplished by determining the available network download bandwidth and preloading a predetermined number of webpages based on such available network download bandwidth.

8. (Previously Presented) The method of claim 1 where said loading is further accomplished by:

determining that a processor within the user's computer isn't saturated; and
preloading a predetermined number of webpages based on the processor's non-saturation state.

9. (Currently Amended) A method of displaying webpages in a single web browser instance operating on a user's computer, including:

displaying ~~a plurality of~~ at least two additional fully functional and related webpages in a single web browser instance at the same time such that all of said ~~plurality of~~ at least two additional fully functional webpages are simultaneously visible to the user and may be operated on simultaneously, and where any of said at least two additional webpages may be operated on without altering the state of another of said at least two additional webpages.

10. (Currently Amended) The method of claim 9 where said fully functional webpages are preloaded webpages that correspond to hyperlinks in a rank-ordered queue of hyperlinks returned by an Internet search engine.

11-15. (Canceled)

16. (Currently Amended) The method of claim ~~[[9]]~~ 10 including changing the number of webpages that are simultaneously displayed according to an input from the user and when additional webpages are made visible, populating these additional webpages automatically with webpages corresponding to hyperlinks in said rank-ordered queue of hyperlinks.

17. (Currently Amended) The method of claim ~~[[9]]~~ 10 including selectively saving the rank-ordered queue of hyperlinks or a portion thereof as a group bookmark hyperlink list that may be loaded in a web browser at a later time.

18. (Canceled)

19. (Previously Presented) The method of claim 10 including selectively deleting webpages displayed or queued for display.

20. (Canceled)

21. (Previously Presented) The method of claim 1 including selectively saving the queue of hyperlinks or a portion thereof as a group bookmark hyperlink list that may be loaded in a web browser at a later time.

22. (Currently Amended) A method for retrieving and viewing webpages in a single web browser instance operating on a user's computer, comprising the sequential steps of:

submitting, from said single web browser, a search request to an Internet search engine located on the Internet;

receiving a ~~rank-ordered~~ hyperlink list from said Internet search engine, said hyperlink list having been automatically rank-ordered by said Internet search engine;

automatically loading a plurality of webpages referred to by said hyperlink list to form a rank-ordered queue of webpages stored on the user's computer; and

viewing at least two webpages from said rank-ordered queue of webpages in separate windows within said single web browser instance such that all of said at least two webpages are fully active and simultaneously visible, and where any of said at least two webpages may be operated on without altering the state of another of said at least two webpages ~~a plurality of fully functional webpages are displayed in said single web browser at the same time.~~

23. (Previously Presented) The method of claim 22 where said loading is accomplished by preloading a selectable number of webpages corresponding to a selectable number of hyperlinks in the queue of hyperlinks.

24. (Previously Presented) The method of claim 22 including changing the number of webpages that are simultaneously displayed according to an input from the user.

25. (Previously Presented) The method of claim 22 including selectively saving the queue of hyperlinks or a portion thereof as a group bookmark hyperlink list that may be loaded in a web browser at a later time.

26. (Previously Presented) The method of claim 22 where said loading is further accomplished by concurrently preloading a predetermined number of webpages pointed to by hyperlinks in the queue of hyperlinks.

27. (Previously Presented) The method of claim 22 where said loading is further accomplished by determining the available network download bandwidth and preloading a predetermined number of webpages based on such available network download bandwidth.

28. (Previously Presented) The method of claim 22 where said loading is further accomplished by:

determining that a processor within the user's computer isn't saturated; and
preloading a predetermined number of webpages based on the processor's non-saturation state.

29. (Previously Presented) The method of claim 22 including selectively deleting webpages displayed or queued for display.

30. (Currently Amended) A method for retrieving and viewing webpages in a single web browser instance operating on a user's computer, comprising the sequential steps of:
simultaneously submitting, from said web browser, a search request to multiple Internet search engines located on the Internet;

receiving a ~~rank-ordered~~ hyperlink list from each of said multiple Internet search engines, said hyperlink list having been automatically rank-ordered by the Internet search engine that supplied said hyperlink list;

automatically forming a single queue of hyperlinks from all hyperlink lists received by aggregating or prioritizing hyperlinks from said hyperlink lists;

automatically loading a plurality of webpages referred to by said single queue of hyperlinks to form a queue of webpages stored on the user's computer; and

viewing at least two webpages from said queue of webpages in separate windows within the single web browser instance such that all of said at least two webpages are fully active and simultaneously visible, and where any of said at least two webpages may be operated on without altering the state of another of said at least two webpages.

31. (Currently Amended) The method of claim 30 where viewing said webpages includes displaying ~~a plurality of~~ at least two additional fully functional webpages in ~~[[a]]~~ said single web browser instance at the same time such that all of said ~~plurality of~~ at least two additional fully functional webpages are simultaneously visible to the user and may be operated on simultaneously, and where any of said at least two additional fully functional webpages may be operated on without altering the state of another of said at least two additional fully functional webpages.

32. (Canceled)

33. (Previously Presented) The method of claim 30 including selectively saving the queue of hyperlinks or a portion thereof as a group bookmark hyperlink list that may be loaded in a web browser at a later time.